

www.pfcstore.com - 763-425-7890 / 800-328-2350




## ICON PROCESS TKM PADDLE WHEEL FLOW METER, PVC/VITON, 1/2" NPT CONNECTIONS

Monitors flow rate & Flow Total |  
Pulse, 4-20ma | Flow 1gpm to  
32gpm.

Estimated delivery 1 to 2 weeks



- ✓ Pulse | 4-20mA Outputs
- ✓ Flow | Total
- ✓ Revolutionary ShearPro® Paddle Wheel Design
- ✓ Low Pressure Drop
- ✓ NEMA 4X | IP 66 Protection
- ✓ Password Protected Security
- ✓ True Union Design 1/2" - 2"
- ✓ Flange Connection 3" - 4"



**SKU:** TKM-15-P-T

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Icon Process Flow  
Meters](#)

www.pfcstore.com - 763-425-7890 / 800-328-2350

**Part Number** TKM-15-P-T

## PRODUCT DESCRIPTION

### Industry's Most Accurate & Reliable Paddle Wheel Flow Meters

The TK Series in-line plastic paddle wheel flow meter has been engineered to provide long-term, accurate flow measurement in tough industrial applications. The paddle wheel assembly consists of an engineered Tefzel® paddle and micro-polished zirconium ceramic rotor pin and bushings. High performance Tefzel® and Zirconium materials have been selected



[TK Specs](#)

[TK Manual](#)

## ADDITIONAL INFORMATION

www.pfcestore.com - 763-425-7890 / 800-328-2350

|                 |                     |
|-----------------|---------------------|
| Weight          | 15 lbs              |
| Dimensions      | 8 × 10 × 6 in       |
| Connections     | <u>1/2"FNPT</u>     |
| Controller Type | <u>Paddle Wheel</u> |
| Wetted Material | <u>PVC-VITON</u>    |