

www.pfcestore.com - 763-425-7890 / 800-328-2350



## BJM HIGH TEMP SHREDDER PUMP CAST IRON SK55C-F-460V

Best Efficiency Point: 350 GPM @ 35 FTH

Wetted Material: Cast Iron / Silcar-FKM

Connection: 4" NPT Female

Horse Power: 7.5hp

Voltage: 3/60/460v

Power Cord & Seal Minder cable Length: 33ft

Max Temp: 200°F



**SKU:** 200788

**Stock:** Out of stock contact us for

lead time

Categories: BJM High Temp

<u>Pumps</u>

**Model Number** SK55C-F-460 **Part Number** 200788



www.pfcestore.com - 763-425-7890 / 800-328-2350

## PRODUCT DESCRIPTION

BJM SK High Temp Pump

- Fahrenheit® High temperature shredder pump
  - Withstands temperatures up to 200°F (93°C)
- 304 stainless steel for superior corrosion resistance
  - Wear-resistant shredding system
    - Heavy duty lifting rings
    - Built in thermal protection
  - Cable entry sealing system to prevent wicking
    - ANSI For NPT discharge flange
    - Seal Minder® moisture detection system
      - Class F motor insulation
        - Integral pump stand

## **Estimated delivery 4 weeks**

BJM Curve

**BJM Dims** 

**BJM Manual** 

## **ADDITIONAL INFORMATION**

Weight 400 lbs

**Dimensions**  $26 \times 36 \times 40 \text{ in}$ 

**Best Efficiency Point** 350 GPM @ 35 FTH

Voltage 460



www.pfcestore.com - 763-425-7890 / 800-328-2350

Wetted Material CAST IRON-304SS-VITON