



BJM KZN 220L SUBMERSIBLE PUMP FOR HEAVY DUTY SLURRY'S

Connections 6"NPT | Max Temp
104°F | Cord Length 50' | Ductile
Iron/Hi-Chrome | 460 Volts | BEP
1000 GPM @ 60 FTH



SKU: 201339

Stock: Out of stock contact us for
lead time

Categories: [BJM Slurry Pumps](#)

Model Number KZN220L-460
VOLT

Part Number 201339

PRODUCT DESCRIPTION

Max Submersion Depth 65' or Length of cord

Dual Mechanical Seals

Ductile Iron & Hi Chrome

Buna Lip Seals & O-rings

www.pfcstore.com - 763-425-7890 / 800-328-2350

Power Cord 50' SOOW

Max Temp 104°F

No Seal Minder

Estimated delivery 3 weeks

Product photo could vary from the actual product

[KZN Specs](#)

[KZN Dimensions](#)

ADDITIONAL INFORMATION

Weight	1275 lbs
Dimensions	60 × 30 × 30 in
Best Efficiency Point	1000 GPM @ 60 FTH
Connections	6"NPT
Hertz	60
Horse Power	30
Motor Type	Continuous Duty
Phase	3
RPM	1800
Solid Size	1.5"
Voltage	460
Wetted Material	DUCTILE IRON/HI-CHROME/BUNA/SILCAR

www.pfcstore.com - 763-425-7890 / 800-328-2350

Connections 6"NPT | Max Temp 104°F | Cord Length 50' | Ductile Iron/Hi-Chrome | 460 Volts | BEP 1000 GPM @ 60 FTH