



## BJM KZN 55CH SUBMERSIBLE PUMP FOR HEAVY DUTY SLURRY'S

Connections 3"NPT | Max Temp  
104°F | Cord Length 50' | Ductile  
Iron/Hi-Chrome | 460 Volts | BEP  
275 GPM @ 40 FTH



---

**SKU:** 201305

**Stock:** Out of stock contact us for  
lead time

**Categories:** [BJM Slurry Pumps](#)

**Model Number** KZN55CH-460  
VOLT

**Part Number** 201305

## PRODUCT DESCRIPTION

Max Submersion Depth 65' or Length of cord

Dual Mechanical Seals

Ductile Iron & Hi Chrome

Buna Lip Seals & O-rings

www.pfcestore.com - 763-425-7890 / 800-328-2350

Power Cord 50' SOOW

Max Temp 104°F

No Seal Minder

Estimated delivery 3 weeks

Product photo could vary from the actual product

[KZN Specs](#)

[KZN Dimensions](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	420 lbs
<b>Dimensions</b>	40 × 24 × 24 in
<b>Best Efficiency Point</b>	<a href="#">275 GPM @ 40 FTH</a>
<b>Connections</b>	<a href="#">3"NPT</a>
<b>Hertz</b>	<a href="#">60</a>
<b>Horse Power</b>	<a href="#">7.5</a>
<b>Motor Type</b>	<a href="#">Continuous Duty</a>
<b>Phase</b>	<a href="#">3</a>
<b>RPM</b>	<a href="#">1800</a>
<b>Solid Size</b>	<a href="#">1"</a>
<b>Voltage</b>	<a href="#">460</a>
<b>Wetted Material</b>	<a href="#">DUCTILE IRON/HI-CHROME/BUNA/SILCAR</a>

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

Connections 3"NPT | Max Temp 104°F | Cord Length 50' | Ductile Iron/Hi-Chrome | 460 Volts | BEP 275 GPM @ 40 FTH