


www.pfcstore.com - 763-425-7890 / 800-328-2350



## DICE DOSING MODULE DM SERIES. FLOODED SUCTION & SUCTION LIFT. MATERIAL 316L STAINLESS. CONNECTIONS 1/2"

Contact us for pricing

[Contact us for the DS & DM IOM](#)

Leadtime is usually 2 to 4 weeks



---

**SKU:** DIM2X-SSXX-XXXXXXXXZX  
**Stock:** Out of stock contact us for lead time  
**Categories:** [Dice Dosing Module](#)

**Part Number** DIM2X-SSXX-XXXXXXXXZX

## PRODUCT DESCRIPTION


Use the chart below to select the location of each

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

## connector

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350

## DICE™ DM FLOODED SUCTION



www.pfcstore.com - 763-425-7890 / 800-328-2350

## Choices of connectors are #0-Mushroom Nut Only, #2-1/2" FNPT (All fittings are stainless)

### Connectors

As per numbers in Model Number Nomenclature

<p>Mushroom Nut Only</p>  <p>Connector code: 0</p>	<p>1/2" MNPT &amp; Fits LMI Tubing Ferrule Adaptor</p>  <p><small>*LMI Ferrule Kit included; Refer to LMI tubing connection system information sheet</small></p> <p>Connector code: 1</p>
<p>FNPT</p>  <p>Connector code: 2</p>	<p>Socket for SCH 80 Rigid Piping</p>  <p>Connector code: 3</p>


## Choices of connector #4- Cap (All fittings are stainless)

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350


<p>CAP</p>  <p>Connector code: 4</p>	<p>G5/8 &amp; Fits Grundfos Tubing Ferrule Adaptor</p>  <p><i>*Grundfos Ferrule Kit <u>not</u> included; sold separately</i></p> <p>Connector code: 5</p>
<p>Socket for Metric Rigid Piping</p>  <p>Connector code: 6</p>	<p>Flare connector for PFA Tubing</p>  <p><i>*Connection nut <u>not</u> included; sold separately</i></p> <p>Connector code: 7</p>
<p>Isolator &amp; Pressure Gauge</p>  <p>Connector code: Z</p>	<p>No Connector &amp; No Mushroom Nut</p>  <p>Connector code: W</p>

www.pfcstore.com - 763-425-7890 / 800-328-2350

 Before




 Now




**2x  
Reduced  
Footprint**

www.pfcestore.com - 763-425-7890 / 800-328-2350

## TYPICAL INSTALLATIONS





## DIMENSIONS



DIMENSIONS mm (in)							
Size		A	B	C	D	E	G
1/2"	DS	187,4 (7.38)	280,8 (11.05)	193,4 (7.61)	168,9 (6.65)	228,6 (9.00)	113,9 (4.48)
	DM	218,6 (8.61)	312,5 (12.30)	193,4 (7.61)	181,6 (7.15)	260,3 (10.25)	145,7 (5.73)
1"	DM	269,0 (10.59)	376,0 (14.80)	232,7 (9.16)	223,0 (8.78)	296,0 (11.65)	150,0 (5.90)

## DICE™ DS SUCTION LIFT

## DICE™ DM FLOODED SUCTION



## ADDITIONAL INFORMATION

<b>Weight</b>	30 lbs
<b>Dimensions</b>	14 × 14 × 16 in

Contact us for pricing

[Contact us for the DS & DM IOM](#)

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

Leadtime is usually 2 to 4 weeks