

DICE DOSING MODULE DM SERIES. FLOODED SUCTION & SUCTION LIFT. MATERIAL 316L STAINLESS. CONNECTIONS 1/2"

Contact us for the DS & DM IOM

Leadtime is usually 2 to 4 weeks



SKU: DIM2X-SSXX-XXXXXXXZX **Stock:** Out of stock contact us for

lead time

Categories: Dice Dosing Module

Part Number DIM2X-SSXX-XXXXXXXXX


PRODUCT DESCRIPTION

Use the chart below to select the location of each connector





DICETM DM FLOODED SUCTION





Choices of connectors are #0-Mushroom Nut Only, #2-1/2" FNPT (All fittings are stainless)

Connectors

As per numbers in Model Number Nomenclature



Choices of connector #4- Cap (All fittings are stainless)





Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350



Connector code: 4

G5/8 & Fits Grundfos Tubing Ferrule Adaptor



*Grundfos Ferrule Kit not included; sold separately

Connector code: 5

Socket for Metric Rigid Piping



Connector code: 6

Flare connector for PFA Tubing



*Connection nut not included; sold separately

Connector code: 7

Isolator & Pressure Gauge



No Connector & No Mushroom Nut




Connector code: W

PFC eSTORE


Clear Solutions Technology Company


www.pfcestore.com - 763-425-7890 / 800-328-2350







TYPICAL INSTALLATIONS





DIMENSIONS







DIMENSIONS mm (in)								
Size		А	В	С	D	E	F	G
1/2"	DS	187,4 (7.38)	280,8 (11.05)	193,4 (7.61)	168,9 (6.65)	228,6 (9.00)	146,9 (5.78)	113,9 (4.48)
	DM	218,6 (8.61)	312,5 (12.30)	193,4 (7.61)	181,6 (7.15)	260,3 (10.25)	159,6 (6.28)	145,7 (5.73)
1"	DM	269,0 (10.59)	376,0 (14.80)	232,7 (9.16)	223,0 (8.78)	296,0 (11.65)	194,0 (7.64)	150,0 (5.90)



DICE™ DS

DICETM DM FLOODED SUCTION





ADDITIONAL INFORMATION

Weight 30 lbs

Dimensions $14 \times 14 \times 16$ in