



DICE DOSING MODULE DM SERIES. FLOODED SUCTION & SUCTION LIFT. MATERIAL PVDF. CONNECTIONS 1/2"

Contact us for the DS & DM IOM

Leadtime is usually 2 to 4 weeks




SKU: DIM2X-DDXX-XXXXXXXXXXXX **Stock:** Out of stock contact us for

lead time

Categories: Dice Dosing Module

Part Number DIM2X-DDXX-XXXXXXXXXX

GALLERY IMAGES








PRODUCT DESCRIPTION

Use the chart below to select the location of each connector





DICETM DM FLOODED SUCTION





Choices of connectors

Connectors

As per numbers in Model Number Nomenclature



Choices of connectors



Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350



Connector code: 4

G5/8 & Fits Grundfos Tubing Ferrule Adaptor



*Grundfos Ferrule Kit not included; sold separately

Connector code: 5

Socket for Metric Rigid Piping



Connector code: 6

Flare connector for PFA Tubing



*Connection nut <u>not</u> included; sold separately

Connector code: 7

Isolator & Pressure Gauge



Connector code: Z


No Connector & No Mushroom Nut



Connector code: W





INTRODUCING DICE™







TYPICAL INSTALLATIONS





DIMENSIONS





DIMENSIONS mm (in)								
Size		А	В	С	D	E	F	G
1/2"	DS	187,4 (7.38)	280,8 (11.05)	193,4 (7.61)	168,9 (6.65)	228,6 (9.00)	146,9 (5.78)	113,9 (4.48)
	DM	218,6 (8.61)	312,5 (12.30)	193,4 (7.61)	181,6 (7.15)	260,3 (10.25)	159,6 (6.28)	145,7 (5.73)
1"	DM	269,0 (10.59)	376,0 (14.80)	232,7 (9.16)	223,0 (8.78)	296,0 (11.65)	194,0 (7.64)	150,0 (5.90)





Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

DICE™ DS

DICETM DM FLOODED SUCTION





ADDITIONAL INFORMATION

Weight 30 lbs

Dimensions $14 \times 14 \times 16$ in