

www.pfcestore.com - 763-425-7890 / 800-328-2350



DICE DOSING MODULE DS SERIES. SUCTION LIFT. MATERIAL PVC. CONNECTIONS 1/2"

Contact us for the DS & DM IOM

Leadtime is usually 2 to 4 weeks



SKU: DIS2X-VVXX-XXXXXXZ **Stock:** Out of stock contact us for

lead time

Categories: <u>Dice Dosing Module</u>


Part Number DIS2X-VVXX-XXXXXXXZ

PRODUCT DESCRIPTION

Use the chart below to select the location of each connector

www.pfcestore.com - 763-425-7890 / 800-328-2350

DICETM DS SUCTION LIFT





www.pfcestore.com - 763-425-7890 / 800-328-2350

Choices of connectors

Connectors

As per numbers in Model Number Nomenclature



Choices of connectors



www.pfcestore.com - 763-425-7890 / 800-328-2350

PFC eSTORE

Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350



Connector code: 4

G5/8 & Fits Grundfos Tubing Ferrule Adaptor



*Grundfos Ferrule Kit not included; sold separately

Connector code: 5

Socket for Metric Rigid Piping



Connector code: 6

Flare connector for PFA Tubing



*Connection nut <u>not</u> included; sold separately

Connector code: 7

Isolator & Pressure Gauge



Connector code: Z

No Connector & No Mushroom Nut




Connector code: W



www.pfcestore.com - 763-425-7890 / 800-328-2350


INTRODUCING DICE™







TYPICAL INSTALLATIONS


www.pfcestore.com - 763-425-7890 / 800-328-2350





DIMENSIONS






DIMENSIONS mm (in)								
Size		А	В	С	D	E	F	G
1/2"	DS	187,4 (7.38)	280,8 (11.05)	193,4 (7.61)	168,9 (6.65)	228,6 (9.00)	146,9 (5.78)	113,9 (4.48)
	DM	218,6 (8.61)	312,5 (12.30)	193,4 (7.61)	181,6 (7.15)	260,3 (10.25)	159,6 (6.28)	145,7 (5.73)
1"	DM	269,0 (10.59)	376,0 (14.80)	232,7 (9.16)	223,0 (8.78)	296,0 (11.65)	194,0 (7.64)	150,0 (5.90)




www.pfcestore.com - 763-425-7890 / 800-328-2350

DICE™ DS

DICETM DM FLOODED SUCTION





ADDITIONAL INFORMATION

Weight 25 lbs

Dimensions $14 \times 14 \times 16$ in