

www.pfcstore.com - 763-425-7890 / 800-328-2350



GE MOTOR, FOOTLESS, IEEE841, 215JM, 3600RPM, 10HP

Brand New

Motor Specs

Stamped Nameplate Notes:

IEEE STD 841-2021

THERMOSTAT LEADS TB1-TB2: TRIP

STAMP NP249A5564P051 AS BELOW:

MODEL:5KS215XAA1166 S/N: XXX

CSA CERTIFIED CSA09.2216219 FOR EX NA IIC 200C GC

CL 1 ZONE2 AEX NA IIC 200C;CL 1 DIV2 GRP ABCD 200C

IN -25C <= AMB <= 40C, 1.0 SF ON SINE-WAVE PWR

SURF TEMP 200C AT 1.15SF ON SINE-WAVE PWR

OR 200C VT OR 215C CT OR 200C CHP PWM CONTROL

ALTERNATE RATING FOR PWM CONTROL 1.0SF 40C AMB

VT 0 - 60 HZ, CT 8.6-60 HZ, CHP 60-90 HZ.

Additional Information:

2P - JM EXTN

C/BOX 55 CU IN-1.00 NPT

F1 CONDUIT BOX MOUNTING



SKU: 5KS215XAA1166


Stock: 1 in stock

Categories: Inventory Sale!

Part Number 5KS215XAA1166

GALLERY IMAGES

www.pfcstore.com - 763-425-7890 / 800-328-2350



www.pfcstore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

Weight	225 lbs
Dimensions	28 × 18 × 16 in
Manufacturer	<u>GE Motor 10HP, 3600RPM</u>

Brand New

Motor Specs

Stamped Nameplate Notes:

IEEE STD 841-2021

THERMOSTAT LEADS TB1-TB2: TRIP
STAMP NP249A5564P051 AS BELOW:

MODEL:5KS215XAA1166 S/N: XXX

CSA CERTIFIED CSA09.2216219 FOR EX NA IIC 200C GC
CL 1 ZONE2 AEX NA IIC 200C;CL 1 DIV2 GRP ABCD 200C
IN -25C <= AMB <= 40C, 1.0 SF ON SINE-WAVE PWR
SURF TEMP 200C AT 1.15SF ON SINE-WAVE PWR
OR 200C VT OR 215C CT OR 200C CHP PWM CONTROL
ALTERNATE RATING FOR PWM CONTROL 1.0SF 40C AMB
VT 0 - 60 HZ, CT 8.6-60 HZ, CHP 60-90 HZ.

Additional Information:

2P - JM EXTN

C/BOX 55 CU IN-1.00 NPT
F1 CONDUIT BOX MOUNTING