

www.pfcstore.com - 763-425-7890 / 800-328-2350



## GOULDS 02SH10 PUMP 316SS WITH VITON

316SS | VITON MECH SEAL | 30HP  
TEFC, 3500RPM, 3/60/230-460  
VOLTS | 2 x 2-1/2-10 | 150LB  
FLANGES | BEP 300 GPM @ 260  
FTH



---

**SKU:** 02SH10D30T3F2

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Goulds e-SH Pumps](#)

**Part Number** 02SH10D30T3F2

## PRODUCT DESCRIPTION

Goulds e-SH Pump 316SS are Superior Materials of Construction: AISI Type 316L stainless steel pump parts for reduced corrosion and improved strength and ductility.

Back Pull-Out Design: Simplifies maintenance when used with spacer type coupling.

Mechanical Seal: Standard John Crane Type 21 mechanical seal.

Suction and Discharge Flanges: Mate with ANSI class 150 flanges.

Close-Coupled Design: Compact design saves space and simplifies maintenance

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

Enclosed impeller

Estimated delivery is 3 to 4 weeks

Contact us for actual lead time

Product photo could vary from the actual product

[Curve](#)

[Brochure Specs](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	615 lbs
<b>Dimensions</b>	42 × 22 × 22 in
<b>Best Efficiency Point</b>	<a href="#">300 GPM @ 260 FTH</a>
<b>Wetted Material</b>	<a href="#">316SS-VITON</a>
<b>Connections</b>	<a href="#">2 X 2.5</a>
<b>Hertz</b>	<a href="#">60</a>
<b>Horse Power</b>	<a href="#">30</a>
<b>Motor Type</b>	<a href="#">TEFC</a>
<b>Phase</b>	<a href="#">3</a>
<b>RPM</b>	<a href="#">3500</a>
<b>Voltage</b>	<a href="#">230-460</a>

316SS | VITON MECH SEAL | 30HP TEFC, 3500RPM, 3/60/230-460 VOLTS | 2 x

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350

2-1/2-10 | 150LB FLANGES | BEP 300 GPM @ 260 FTH