PFC eSTORE

www.pfcestore.com - 763-425-7890 / 800-328-2350



GOULDS 3656M PUMP IN CAST IRON BRONZE FITTED WITH BUNA SEAL 20 HP 16BF

CAST IRON / BRONZE / BUNA MECH SEAL | 20 HP TEFC, 3500RPM, 3/60/230-460 VOLTS | 3 X 4-8 | BEP 350 GPM @ 120 FTH



SKU: 16BF1N9F0

Stock: Out of stock contact us for

lead time

Categories: Goulds 3656 Pumps

Part Number 16BF1N9F0

PRODUCT DESCRIPTION

Goulds 3656M Pump

- Back pull-out to reduce maintenance down time.
- Standard John Crane Type 21 mechanical seal for both reliability and availability. Carbon/ceramic/ BUNA standard, with other faces and elastomers available.
 - Available in all iron or bronze fitted construction for application versatility.



www.pfcestore.com - 763-425-7890 / 800-328-2350

- Replaceable wearing components include stainless steel shaft sleeve and casing and hub wear rings to maintain peak efficiency.
- Enclosed impeller design, dynamic balancing and renewable wear rings reduce losses affecting performance and pump life.
 - 125 lb. ANSI flange suction/discharge connections and casing rotation for piping connection versatility.
- NPT threaded connections are supplied on 1 $1/2 \times 2 10$ and 2 $1/2 \times 3 8$ models.

Product photo could vary from the actual product

Estimated delivery is 3 to 4 weeks

<u>Curve</u>

Manual

ADDITIONAL INFORMATION

Weight 655 lbs

Dimensions $38 \times 16 \times 17$ in

Best Efficiency Point 350 GPM @ 120 FTH

Connections <u>3 X 4</u>

Hertz <u>60</u>

Horse Power <u>20</u>

Motor Type <u>TEFC</u>

<u>3</u>

RPM 3500

Voltage <u>230-460</u>

Wetted Material IRON/BRONZE-BUNA



www.pfcestore.com - 763-425-7890 / 800-328-2350