



## GOULDS AQUAFORCE DUPLEX BOOSTER SYSTEM, 460V, 3 PHASE, HVX2D6R-46SVX30GMAXX 0-G

Two Pumps BEP - 455 GPM @ 310  
FTH. Material - Cast Iron/304SS.  
Mechanical Seal Car/Silcar Viton.  
Connections 6"

Picture shows a Triplex Booster  
with panel on right side



---

**SKU:** HVX2D6R-46SVX30GMAXX0-  
G

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Goulds Booster Skids](#)

## PRODUCT DESCRIPTION

The AQUAFORCE™ e-HVX & e-HVXR Packaged Booster Systems are advanced variable speed pumping stations, featuring two or three e-SVX Series multistage vertical Smart Pumps. Each pump is equipped with a

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

hydrovar® X Smart Motor, enabling variable speed operation. These systems enhance user comfort by reducing noise emissions and minimizing “water hammer” through gradual pump staging and shutdown. All pumps are mounted on a single base, with individual shut-off and check valves. The system is interconnected by suction and delivery manifolds, and the control panel is securely attached to the same base with a bracket.

**Estimated delivery is 3 to 4 weeks - Please contact us for current delivery**

[Specs & Curve](#)

[Technical Brochure](#)

[Manual](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	1630 lbs
<b>Dimensions</b>	70 × 50 × 60 in
<b>Best Efficiency Point</b>	<a href="#"><u>455 GPM @ 310 FTH</u></a>
<b>Input Volts</b>	<a href="#"><u>380-460</u></a>
<b>Wetted Material</b>	<a href="#"><u>CAST IRON-304SS-VITON</u></a>

Two Pumps BEP - 455 GPM @ 310 FTH. Material - Cast Iron/304SS. Mechanical Seal Car/Silcar Viton. Connections 6"

Picture shows a Triplex Booster with panel on right side

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350