



## GOULDS CENTRIFUGAL PUMP 1SV20F IN 304SS & VITON

Wetted Parts: 304SS, Viton Seal |  
3 Phase | 2 hp | 3600 rpm | 1.25"  
Flanges | BEP 9 GPM @ 470 FTH



**SKU:** 1SV20FE4F60

**Stock:** Out of stock contact us for lead time

**Categories:** [Goulds e-SV 304SS Pumps](#)

**Model Number** 1SV20FE4F60

**Part Number** eSV Series

## PRODUCT DESCRIPTION

### E-SV PUMP:

Goulds e-SV fabricated vertical multi-stage pump is an energy saving, non-priming pump coupled to a standard premium-efficient motor. It's built to withstand a variety of, mechanically aggressive and high temperature liquids, and is designed to extend uptime and help reduce lifecycle costs in

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350

a wide range of demanding applications.

The e-SV range of pumps features 11 models, and each can be specially configured for a wide range of environments. What's more, when an e-SV is paired with a Hydrovar® or Aquavar® IPC variable speed drive, it provides energy saving increases up to 70% vs. fixed speed, while reducing installation time.

## **Estimated delivery is 3 to 4 weeks**

Contact us for actual delivery

Product photo could vary from the actual product

[Curve](#)

[Technical Brochure](#)

## **ADDITIONAL INFORMATION**

<b>Weight</b>	83 lbs
<b>Dimensions</b>	31 × 16 × 16 in
<b>Best Efficiency Point</b>	<a href="#"><u>9 GPM @ 470 FTH</u></a>
<b>Connections</b>	<a href="#"><u>1.25" Flange</u></a>
<b>Hertz</b>	<a href="#"><u>60</u></a>
<b>Horse Power</b>	<a href="#"><u>2</u></a>
<b>Motor Type</b>	<a href="#"><u>TEFC</u></a>
<b>Phase</b>	<a href="#"><u>3</u></a>
<b>RPM</b>	<a href="#"><u>3500</u></a>
<b>Voltage</b>	<a href="#"><u>208-230-460</u></a>

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

**Wetted Material**      [304SS-VITON](#)

Wetted Parts: 304SS, Viton Seal | 3 Phase | 2 hp | 3600 rpm | 1.25" Flanges |  
BEP 9 GPM @ 470 FTH