

#### www.pfcestore.com - 763-425-7890 / 800-328-2350



# GOULDS CENTRIFUGAL PUMP 22SV10F IN 304SS & VITON

Wetted Parts: 304SS, Viton Seal | 3 Phase | 25 hp | 3600 rpm | 2" Flanges | BEP 100 GPM @ 590 FTH



 SKU: 22SV10FM4C60
Stock: Out of stock contact us for lead time
Categories: Goulds 304SS Pumps
Tags: GOULDS ESVF PUMPS
Model Number 22SV10FM4C60
Part Number eSV Series

# **PRODUCT DESCRIPTION**

# **E-SV PUMP:**

Goulds e-SV fabricated vertical multi-stage pump is an energy saving, nonpriming pump coupled to a standard premium-efficient motor. It's built to withstand a variety of, mechanically aggressive and high temperature liquids, and is designed to extend uptime and help reduce lifecycle costs in

PFC eStore Pumps, Filters & Controls store with B2B solution August 26, 2025



### www.pfcestore.com - 763-425-7890 / 800-328-2350

a wide range of demanding applications.

The e-SV range of pumps features 11 models, and each can be specially configured for a wide range of environments. What's more, when an e-SV is paired with a Hydrovar® or Aquavar® IPC variable speed drive, it provides energy saving increases up to 70% vs. fixed speed, while reducing installation time.

### Estimated delivery is 3 to 4 weeks

Contact us for actual delivery

Product photo could vary from the actual product

<u>Curve</u>

Install Manual

### **ADDITIONAL INFORMATION**

Weight	414 lbs
Dimensions	44 × 20 × 20 in
<b>Best Efficiency Point</b>	<u>100 GPM @ 590 FTH</u>
Connections	<u>2" ANSI FLANGE</u>
Hertz	<u>60</u>
Horse Power	<u>25</u>
Motor Type	<u>TEFC</u>
Phase	<u>3</u>
RPM	<u>3500</u>
Voltage	<u>208-230-460</u>



### www.pfcestore.com - 763-425-7890 / 800-328-2350

Wetted Material

<u>304SS-VITON</u>