



## GOULDS CENTRIFUGAL PUMP 22SV3N IN 316SS & VITON

Wetted Parts: 316SS, Viton Seal |  
3 Phase | 7.5 hp | 3500 rpm | 2"  
Flanges | BEP 100 GPM @ 165 FTH



**SKU:** 22SV3NH4F60

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Goulds 316SS Pumps](#)

**Tags:** [GOULDS ESVN PUMPS](#)

**Model Number** 22SV3NH4F60

**Part Number** eSV Series

## PRODUCT DESCRIPTION

### E-SV PUMP:

Goulds e-SV pump fabricated vertical multi-stage pump is an energy saving, non-priming pump coupled to a standard premium-efficient motor.

It's built to withstand a variety of, mechanically aggressive and high temperature liquids, and is designed to extend uptime and help reduce

www.pfcestore.com - 763-425-7890 / 800-328-2350

lifecycle costs in a wide range of demanding applications.

The e-SV range of pumps features 11 models, and each can be specially configured for a wide range of environments. What's more, when an e-SV is paired with a Hydrovar® or Aquavar® IPC variable speed drive, it provides energy saving increases up to 70% vs. fixed speed, while reducing installation time.

**Estimated delivery is 3 to 4 weeks**

Contact us for actual delivery

Product photo could vary from the actual product

[Curve](#)

[Technical Brochure](#)

ADDITIONAL INFORMATION

|                       |                                   |
|-----------------------|-----------------------------------|
| Weight                | 190 lbs                           |
| Dimensions            | 40 × 24 × 24 in                   |
| Best Efficiency Point | <a href="#">100 GPM @ 165 FTH</a> |
| Connections           | <a href="#">2" ANSI FLANGE</a>    |
| Hertz                 | <a href="#">60</a>                |
| Horse Power           | <a href="#">7.5</a>               |
| Motor Type            | <a href="#">TEFC</a>              |
| Phase                 | <a href="#">3</a>                 |
| RPM                   | <a href="#">3500</a>              |
| Voltage               | <a href="#">208-230-460</a>       |

**www.pfcstore.com - 763-425-7890 / 800-328-2350**

**Wetted Material**      [316SS-VITON](#)