



## GOULDS CENTRIFUGAL PUMP 22SV4F IN 304SS & VITON

Wetted Parts: 304SS, Viton Seal |  
3 Phase | 10 hp | 3600 rpm | 2"  
Flanges| BEP 100 GPM @ 230 FTH



---

**SKU:** 22SV4FJ4F60

**Stock:** Out of stock contact us for lead time

**Categories:** [Goulds e-SV 304SS Pumps](#)

**Model Number** 22SV4FJ4F60  
**Part Number** eSV Series

## PRODUCT DESCRIPTION

### E-SV PUMP:

Goulds e-SV fabricated vertical multi-stage pump is an energy saving, non-priming pump coupled to a standard premium-efficient motor. It's built to withstand a variety of, mechanically aggressive and high temperature liquids, and is designed to extend uptime and help reduce lifecycle costs in

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350

a wide range of demanding applications.

The e-SV range of pumps features 11 models, and each can be specially configured for a wide range of environments. What's more, when an e-SV is paired with a Hydrovar® or Aquavar® IPC variable speed drive, it provides energy saving increases up to 70% vs. fixed speed, while reducing installation time.

## Estimated delivery is 3 to 4 weeks

Contact us for actual delivery

Product photo could vary from the actual product

[Curve](#)

[Install Manual](#)

## ADDITIONAL INFORMATION

|                              |                                  |
|------------------------------|----------------------------------|
| <b>Weight</b>                | 197 lbs                          |
| <b>Dimensions</b>            | 44 × 20 × 20 in                  |
| <b>Best Efficiency Point</b> | <a href="#">100 GPM @ 230FTH</a> |
| <b>Connections</b>           | <a href="#">2" ANSI FLANGE</a>   |
| <b>Hertz</b>                 | <a href="#">60</a>               |
| <b>Horse Power</b>           | <a href="#">10</a>               |
| <b>Motor Type</b>            | <a href="#">TEFC</a>             |
| <b>Phase</b>                 | <a href="#">3</a>                |
| <b>RPM</b>                   | <a href="#">3500</a>             |
| <b>Voltage</b>               | <a href="#">208-230-460</a>      |

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

**Wetted Material**      [304SS-VITON](#)

Wetted Parts: 304SS, Viton Seal | 3 Phase | 10 hp | 3600 rpm | 2" Flanges| BEP  
100 GPM @ 230 FTH