PFC eSTORE
Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

# GOULDS CENTRIFUGAL PUMP 5SV21G IN CAST IRON, 304SS & VITON

Wetted Parts: Cast Iron, 304SS, Viton Seal | 7.5HP | 3 Phase | TEFC | 3500 rpm | 1.25" Flanges| BEP 30 GPM @550 FTH

**SKU:** 5SV21GH4F60
**Stock:** Out of stock contact us for lead time
**Categories:** Goulds Cast Iron/304SS Pumps
**Tags:** GOULDS ESVG PUMPS
**Model Number** 5SV21GH4F60
**Part Number** eSV Series

## PRODUCT DESCRIPTION

## E-SV PUMP:

Goulds e-SV pump fabricated vertical multi-stage pump is an energy saving, non-priming pump coupled to a standard premium-efficient motor. It’s built to withstand a variety of, mechanically aggressive and high temperature liquids, and is designed to extend uptime and help reduce

lifecycle costs in a wide range of demanding applications.

The e-SV range of pumps features 11 models, and each can be specially configured for a wide range of environments. What's more, when an e-SV is paired with a Hydrovar® or Aquavar® IPC variable speed drive, it provides energy saving increases up to 70% vs. fixed speed, while reducing installation time.

**Estimated delivery is 3 to 4 weeks**

Contact us for actual delivery

Product photo could vary from the actual product

Curve

Technical Brochure

## ADDITIONAL INFORMATION

| | |
|---|---|
| **Weight** | 242 lbs |
| **Dimensions** | 36 × 20 × 20 in |
| **Best Efficiency Point** | 30 GPM @ 550 FTH |
| **Connections** | 1.25" Flange |
| **Hertz** | 60 |
| **Horse Power** | 7.5 |
| **Motor Type** | TEFC |
| **Phase** | 3 |
| **RPM** | 3500 |
| **Voltage** | 208-230-460 |

PFC eSTORE
Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

**Wetted Material** CAST IRON-304SS-VITON