# PFC eSTORE

www.pfcestore.com - 763-425-7890 / 800-328-2350



## GOULDS CENTRIFUGAL PUMP 5SV24G IN CAST IRON, 304SS & VITON

Wetted Parts: Cast Iron, 304SS, Viton Seal | 7.5HP | 3 Phase | TEFC | 3500 rpm | 1.25" Flanges | BEP 30 GPM @637 FTH



**SKU:** 5SV24GH4F60 **Stock:** Out of stock contact us for

lead time

Categories: Goulds e-SV Cast

Iron/304SS Pumps

Tags: GOULDS ESVG PUMPS
Model Number 5SV24GH4F60
Part Number eSV Series

## PRODUCT DESCRIPTION E-SV PUMP:

Goulds e-SV pump fabricated vertical multi-stage pump is an energy saving, non-priming pump coupled to a standard premium-efficient motor. It's built to withstand a variety of, mechanically aggressive and high temperature liquids, and is designed to extend uptime and help reduce



#### www.pfcestore.com - 763-425-7890 / 800-328-2350

lifecycle costs in a wide range of demanding applications.

The e-SV range of pumps features 11 models, and each can be specially configured for a wide range of environments. What's more, when an e-SV is paired with a Hydrovar® or Aquavar® IPC variable speed drive, it provides energy saving increases up to 70% vs. fixed speed, while reducing installation time.

### Estimated delivery is 3 to 4 weeks

Contact us for actual delivery

Product photo could vary from the actual product

#### <u>Curve</u>

#### **Technical Brochure**

### ADDITIONAL INFORMATION

Weight 315 lbs

**Dimensions**  $36 \times 20 \times 20 \text{ in}$ 

**Best Efficiency Point** 30 GPM @ 637 TDH

Connections 1.25" Flange

Hertz 60

Horse Power 7.5

Motor Type <u>TEFC</u>

Phase 3

**RPM** 3500

**Voltage** 208-230-460



www.pfcestore.com - 763-425-7890 / 800-328-2350

Wetted Material CAST IRON-304SS-VITON