## PFC eSTORE

www.pfcestore.com - 763-425-7890 / 800-328-2350



# **GOULDS CENTRIFUGAL PUMP 5SV9G IN CAST IRON, 304SS & VITON**

Wetted Parts: Cast Iron, 304SS, Viton Seal | 3 Phase TEFC | 3 hp | 3500 rpm | 1.25" Flanges| BEP 30 GPM @239 FTH



**SKU:** 5SV9GF4C60 **Stock:** Out of stock contact us for

lead time

Categories: Goulds e-SV Cast

<u>Iron/304SS Pumps</u>

Tags: GOULDS ESVG PUMPS
Model Number 5SV9GF4C60
Part Number eSV Series

## PRODUCT DESCRIPTION E-SV PUMP:

Goulds e-SV pump fabricated vertical multi-stage pump is an energy saving, non-priming pump coupled to a standard premium-efficient motor. It's built to withstand a variety of, mechanically aggressive and high temperature liquids, and is designed to extend uptime and help reduce



#### www.pfcestore.com - 763-425-7890 / 800-328-2350

lifecycle costs in a wide range of demanding applications.

The e-SV range of pumps features 11 models, and each can be specially configured for a wide range of environments. What's more, when an e-SV is paired with a Hydrovar® or Aquavar® IPC variable speed drive, it provides energy saving increases up to 70% vs. fixed speed, while reducing installation time.

### Estimated delivery is 3 to 4 weeks

Contact us for actual delivery

Product photo could vary from the actual product

#### <u>Curve</u>

#### **Technical Brochure**

#### ADDITIONAL INFORMATION

Weight 150 lbs

**Dimensions**  $36 \times 20 \times 20 \text{ in}$ 

**Best Efficiency Point** 30 GPM @ 239 FTH

Connections 1.25" Flange

Hertz 60

Horse Power <u>3</u>

Motor Type <u>TEFC</u>

<u>3</u>

**RPM** 3500

**Voltage** <u>208-230-460</u>



www.pfcestore.com - 763-425-7890 / 800-328-2350

Wetted Material CAST IRON-304SS-VITON