

www.pfcstore.com - 763-425-7890 / 800-328-2350



GOULDS DUPLEX CONTROL PANEL NEMA 4, 3 PHASE, SEAL FAIL CIRCUIT, AMP RATING 22 - 32

Voltage 208/230/460/575 |
Estimated delivery is 5 to 6 weeks



SKU: CDD32232J

Stock: Out of stock contact us for
lead time

Categories: [Goulds Control Panels](#)

Part Number CDD32232J

PRODUCT DESCRIPTION

Gould Duplex Control Panels, indoor Duplex Wastewater Disconnect Style Panels

STANDARD FEATURES

- NEMA 1 enclosure
- Pump run light(s)
- Pump H-O-A switches
- High level alarm circuit

www.pfcestore.com - 763-425-7890 / 800-328-2350

- Automatic alarm reset on simplex panels
 - Manual alarm reset on duplex panels
 - Flashing alarm light
- Auxiliary high level (dry) alarm contacts
 - Electronic alternator on duplex panels
- Terminal strip for all external connections
 - Dual power feed for control circuit
- Duplex panels only: Alternator selector switch allows a choice of automatic alternation or operation of only pump 1 or pump 2. Typically used if one pump is down for maintenance.
- Duplex panels only: Lag pump start delay built-in. Delays starting lag pump for 5 seconds if both pumps attempt to start simultaneously as after a power outage.

THREE PHASE

- Class 14 NEMA rated three phase starters
- Solid state adjustable ESP100 Class 10 overloads
 - Built-in automatic phase loss protection
 - Transformer for 115 volt control circuit

Estimated delivery is 5 to 6 weeks

[Technical Brochure](#)

ADDITIONAL INFORMATION

| | |
|-----------------------|--------------------------------------|
| Weight | 40 lbs |
| Dimensions | 20 × 10 × 24 in |
| Enclosure Type | <u>IP21 = NEMA 1</u> |
| Full Load Amps | <u>22-32</u> |

www.pfcstore.com - 763-425-7890 / 800-328-2350

Phase 3

Voltage 208/230/460/575 | Estimated delivery is 5 to 6 weeks