

www.pfcstore.com - 763-425-7890 / 800-328-2350



## GOULDS DUPLEX CONTROL PANEL NEMA 4, 3 PHASE, WITH DRY CONTACT, AMP RATING 4.0 - 6.3

Voltage 208/230/460/575 |  
Estimated delivery is 4 to 5 weeks



---

**SKU:** CDD34063ZZ

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Goulds Control Panels](#)

**Part Number** CDD34063ZZ

## PRODUCT DESCRIPTION

### Gould Duplex Control Panels, indoor Duplex Wastewater Disconnect Style Panels

#### STANDARD FEATURES

- NEMA 1 enclosure
- Pump run light(s)
- Pump H-O-A switches
- High level alarm circuit

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

- Automatic alarm reset on simplex panels
  - Manual alarm reset on duplex panels
    - Flashing alarm light
- Auxiliary high level (dry) alarm contacts
  - Electronic alternator on duplex panels
- Terminal strip for all external connections
  - Dual power feed for control circuit
- Duplex panels only: Alternator selector switch allows a choice of automatic alternation or operation of only pump 1 or pump 2. Typically used if one pump is down for maintenance.
- Duplex panels only: Lag pump start delay built-in. Delays starting lag pump for 5 seconds if both pumps attempt to start simultaneously as after a power outage.

### THREE PHASE

- Class 14 NEMA rated three phase starters
- Solid state adjustable ESP100 Class 10 overloads
  - Built-in automatic phase loss protection
  - Transformer for 115 volt control circuit

**Estimated delivery is 4 to 5 weeks**

[Technical Brochure](#)

### ADDITIONAL INFORMATION

<b>Weight</b>	40 lbs
<b>Dimensions</b>	20 × 10 × 24 in
<b>Enclosure Type</b>	<a href="#"><u>IP21 = NEMA 1</u></a>
<b>Full Load Amps</b>	<a href="#"><u>4.0-6.3</u></a>

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

Phase 3

Voltage 208/230/460/575 | Estimated delivery is 4 to 5 weeks