

www.pfcstore.com - 763-425-7890 / 800-328-2350

**GOULDS E-SVI COOLANT  
IMMERSION PUMP  
304SS/CAST IRON  
1SVI1313G WITH  
HYDROVAR VFD**

9 GPM @ 295 FTH | Immersion  
Depth 13-5/16" | Wetted Material  
304SS, Cast Iron, Car-Silcar FKM |  
Motor TEPE 3/60/460v, 1.5hp |  
Connection 3/4" NPT | Hydrovar  
input voltage 460 volts



---

**SKU:** 1SVI1313GD4F6S0V34

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Goulds Coolant  
Pumps](#)

**Part Number**  
1SVI1313GD4F6S0V34

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350



www.pfcstore.com - 763-425-7890 / 800-328-2350

## PRODUCT DESCRIPTION

The e-SVI offers a range of shaft seals to handle high temperatures, pressures and aggressive liquids. The e-SVI's design allows the removal of the standard mechanical seal without having to remove the motor thus reducing repair time. Also available is an easy to replace pre-assembled cartridge seal configuration ensuring the seal components will never be assembled incorrectly. The inducer is a standard feature offered to allow for reliable low level pumping.

### **Estimated delivery 3 to 4 weeks**

[Specs & Curve](#)

[Hydrovar VFD](#)

[Technical Brochure](#)

[Manual](#)

[Brochure](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	100 lbs
<b>Dimensions</b>	40 × 14 × 14 in
<b>Best Efficiency Point</b>	<a href="#"><u>9 GPM @ 295 FTH</u></a>
<b>Length</b>	<a href="#"><u>Pump Depth 13.4"</u></a>
<b>Phase</b>	<a href="#"><u>3</u></a>
<b>Wetted Material</b>	<a href="#"><u>CAST IRON-304SS-VITON</u></a>

**www.pfcestore.com - 763-425-7890 / 800-328-2350**