



## GOULDS E-SVI COOLANT IMMERSION PUMP 304SS/CAST IRON 1SVI1313G

9 GPM @ 295 FTH | Immersion  
Depth 13-5/16" | Wetted Material  
304SS, Cast Iron, Car-Silcar FKM |  
Motor TEPE 3/60/208-230-460v,  
1.5hp | Connection 3/4" NPT



**SKU:** 1SVI1313GD4F6S0

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Goulds Coolant  
Pumps](#)

**Part Number** 1SVI1313GD4F6S0

## PRODUCT DESCRIPTION

The e-SVI offers a range of shaft seals to handle high temperatures,

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

pressures and aggressive liquids. The e-SVI's design allows the removal of the standard mechanical seal without having to remove the motor thus reducing repair time. Also available is an easy to replace pre-assembled cartridge seal configuration ensuring the seal components will never be assembled incorrectly. The inducer is a standard feature offered to allow for reliable low level pumping.

## Estimated delivery 3 to 4 weeks

[Specs & Curve](#)

[Technical Brochure](#)

[Manual](#)

[Brochure](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	70 lbs
<b>Dimensions</b>	36 × 14 × 14 in
<b>Best Efficiency Point</b>	<a href="#">9 GPM @ 295 FTH</a>
<b>Length</b>	<a href="#">Pump Depth 13.4"</a>
<b>Phase</b>	<a href="#">3</a>
<b>Wetted Material</b>	<a href="#">CAST IRON-304SS-VITON</a>

9 GPM @ 295 FTH | Immersion Depth 13-5/16" | Wetted Material 304SS, Cast Iron, Car-Silcar FKM | Motor TEPE 3/60/208-230-460v, 1.5hp | Connection 3/4" NPT

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350