PFC estore

www.pfcestore.com - 763-425-7890 / 800-328-2350



GOULDS EZ96 MAG DRIVE PROCESS PUMP, ON SALE

Brand New Pump & Motor. BEP 65GPM @ 95FTH

Liquid End, BEARING CARTRIDGE DUPLEX STAINLESS STEEL
(1.4517)/SILICON CARBIDE
BEARINGS, IMPELLER AND MAGNET
ASSEMBLY BALANCED TO ISO 1940
G6.3, HAST C CONTAINMENT
SHELL - DEEP DRAWN ONE PIECE
(NO WELDS). IMPELLER STAINLESS
STEEL (1.4408). PUMP 316SS.

Weg Motor, 7.5hp, 3/60/460v, 1800rpm, CLASS 1 DIV. 2 INVERTER CAPABLE

Base cast iron



SKU: EZ96 1X2-10 **Stock:** 1 in stock

Categories: Inventory Sale!

Model Number 3296 EZMAG



www.pfcestore.com - 763-425-7890 / 800-328-2350

PRODUCT DESCRIPTION

- Chemical Process Pump
- Capacities to 700 gpm (160 m3/h)
 - Heads to 620 ft (189 m)
 - Temperatures to 535°F (280°C)
 - Pressures to 275 PSIG
 Performance Features
 Extended Pump Life
 - Sealless design
 - Enclosed impeller
- Silicon carbide radial and thrust bearings
- Optional Dryguard™ bearings for dry run protection
 - Reliable flush circuit
 Ease of Maintenance
 - Bearing Cartridge design
 - Double-back pull-out
 - Close coupled option on S group
 - ANSI B73.1 dimensional standards
 - No mechanical seal
 - Minimum number of parts
 Safety
 - Zero emissions
 - One-piece Hastelloy C containment shell
 - Drive and driven magnet clearances protect containment shell
- Bearing Cartridge design contains bearings in case of failure
 - Adapter drain connection

Brochure

<u>Curve</u>

BOM



www.pfcestore.com - 763-425-7890 / 800-328-2350

Manual

ADDITIONAL INFORMATION

Weight 670 lbs

Dimensions $52 \times 24 \times 35 \text{ in}$

Manufacturer Goulds EZ96 Mag Drive