PFC eSTORE
Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

GOULDS NPE 1ST CENTRIFUGAL PUMP, 316SS WITH VITON

316SS | VITON MECH SEAL | .75HP TEFC PRE EFF, 3500RPM, 1/60/115-230 VOLTS | 1 X 1.25-6 | BEP 30 GPM @ 52FTH

Cradle Mount Bracket for Pump & Motor

SKU: 1ST1D4E4
Stock: 1 in stock (can be backordered)
Categories: Goulds NPE Pumps
Tags: GOULDS NPE PUMPS
Model Number 1ST1D4E4

GALLERY IMAGES

PFC eSTORE
Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350



www.pfcestore.com - 763-425-7890 / 800-328-2350

PRODUCT DESCRIPTION

Standard John Crane Type 21

Enclosed impeller

Estimated delivery is 3 to 4 weeks - Contact us for actual lead time

Contact us for actual lead time

Product photo could vary from the actual product

NPE CURVE

BROCHURE SPECS

MANUAL & PARTS

ADDITIONAL INFORMATION

Weight	54 lbs
Dimensions	24 × 14 × 16 in
Connections	1 X 1.25
Best Efficiency Point	30 GPM @ 55 FTH
Hertz	50-60
Horse Power	0.75
Motor Type	TEFC
Phase	1
RPM	3500
Voltage	115-230

PFC eSTORE
Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

Wetted Material	316SS-VITON