

www.pfcstore.com - 763-425-7890 / 800-328-2350



GOULDS NPE 1ST CENTRIFUGAL PUMP, 316SS WITH VITON

316SS | VITON MECH SEAL | .75HP
TEFC PRE EFF, 3500RPM,
1/60/115-230 VOLTS | 1 X 1.25-6 |
BEP 30 GPM @ 52FTH

Cradle Mount Bracket for Pump &
Motor



SKU: 1ST1D4E4


Stock: 1 in stock (can be
backordered)

Categories: [Goulds NPE Pumps](#)

Model Number 1ST1D4E4

GALLERY IMAGES

www.pfcestore.com - 763-425-7890 / 800-328-2350



www.pfcstore.com - 763-425-7890 / 800-328-2350

PRODUCT DESCRIPTION

Standard John Crane Type 21

Enclosed impeller

Estimated delivery is 3 to 4 weeks - Contact us for actual lead time

Contact us for actual lead time

Product photo could vary from the actual product

[NPE CURVE](#)

[BROCHURE SPECS](#)

[MANUAL & PARTS](#)

ADDITIONAL INFORMATION

Weight	54 lbs
Dimensions	24 × 14 × 16 in
Connections	<u>1 X 1.25</u>
Best Efficiency Point	<u>30 GPM @ 55 FTH</u>
Hertz	<u>50-60</u>
Horse Power	<u>0.75</u>
Motor Type	<u>TEFC</u>
Phase	<u>1</u>
RPM	<u>3500</u>
Voltage	<u>115-230</u>

www.pfcstore.com - 763-425-7890 / 800-328-2350

Wetted Material [316SS-VITON](#)

316SS | VITON MECH SEAL | .75HP TEFC PRE EFF, 3500RPM, 1/60/115-230
VOLTS | 1 X 1.25-6 | BEP 30 GPM @ 52FTH

Cradle Mount Bracket for Pump & Motor