



GOULDS NPE 1ST CENTRIFUGAL PUMP, 316SS WITH VITON

316SS | VITON MECH SEAL | 1HP TEFC PRE EFF, 3500RPM, 3/60/230-460 VOLTS | 1 X 1.25-6 | BEP 24 GPM @ 93FTH

Cradle Mount Bracket for Pump & Motor




SKU: 1ST1E4C4C **Stock:** 27 in stock (can be

backordered)

Categories: Goulds NPE Pumps
Tags: GOULDS NPE PUMPS
Model Number 1ST1E4C4C

GALLERY IMAGES





PRODUCT DESCRIPTION

Standard John Crane Type 21

Enclosed impeller

Estimated delivery is 3 to 4 weeks - Contact us for actual lead time

Contact us for actual lead time

Product photo could vary from the actual product

NPE CURVE

BROCHURE SPECS

MANUAL & PARTS

ADDITIONAL INFORMATION

Weight 54 lbs

Dimensions $24 \times 14 \times 16 \text{ in}$

Connections 1 X 1.25

Best Efficiency Point 24 GPM @ 93 FTH

Hertz <u>50-60</u>

Horse Power <u>1</u>

Motor Type <u>TEFC</u>

Phase $\underline{1}$

RPM 3500

Voltage <u>115-230</u>



Wetted Material <u>316SS-VITON</u>