



## GOULDS NPE 2ST EXPLOSION PROOF CENTRIFUGAL PUMP, 316SS WITH VITON

316SS | VITON MECH SEAL | 5HP  
EXPLOSION PROOF PRE EFF  
(CLASS-1, DIV-1, GROUP D)  
3500RPM, 3/50-60/208/230-460  
VOLTS | 1.25 X 1.50-6 | BEP 90  
GPM @ 90 FTH



---

**SKU:** 2ST1JDD4

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Goulds NPE Pumps](#)

**Model Number** 2ST1JDD4

## PRODUCT DESCRIPTION

Standard John Crane Type 21

Enclosed impeller

Estimated delivery is 3 to 4 weeks

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

Contact us for actual lead time

Product photo could vary from the actual product

[NPE CURVE](#)

[BROCHURE SPECS](#)

[MANUAL & PARTS](#)

## ADDITIONAL INFORMATION

|                              |  |
|------------------------------|--|
| <b>Weight</b>                | 80 lbs                                 |
| <b>Dimensions</b>            | 22 × 13 × 16 in                        |
| <b>Connections</b>           | <a href="#"><u>1.25 X 1.50</u></a>     |
| <b>Best Efficiency Point</b> | <a href="#"><u>90 GPM @ 90 FTH</u></a> |
| <b>Hertz</b>                 | <a href="#"><u>50-60</u></a>           |
| <b>Horse Power</b>           | <a href="#"><u>5</u></a>               |
| <b>Motor Type</b>            | <a href="#"><u>EXPLOSION PROOF</u></a> |
| <b>Phase</b>                 | <a href="#"><u>3</u></a>               |
| <b>RPM</b>                   | <a href="#"><u>3500</u></a>            |
| <b>Voltage</b>               | <a href="#"><u>208-230-460</u></a>     |
| <b>Wetted Material</b>       | <a href="#"><u>316SS-VITON</u></a>     |

316SS | VITON MECH SEAL | 5HP EXPLOSION PROOF PRE EFF (CLASS-1, DIV-1, GROUP D) 3500RPM, 3/50-60/208/230-460 VOLTS | 1.25 X 1.50-6 | BEP 90 GPM @ 90 FTH

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350