PFC eSTORE
Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

# GRUNDFOS CM 10-5 PUMP, 304SS, EPDM SEAL, THREE PHASE

BEP 45 GPM @ 345 FTH | Connections 1.5" X 1.5" NPT | Horse Power 10 | Three Phase | Volts 230-460 | Wetted Material-304SS-EPDM

---

**SKU:** 98694666
**Stock:** Out of stock contact us for lead time
**Categories:** Grundfos CM Pumps

**Model Number** 98694666
**Part Number** CM 10-5 A-S-I-E-AQQE E-A-A-N

## PRODUCT DESCRIPTION

Grundfos CM pump has been created with compactness, flexibility and reliability as its central features. This horizontal multistage close-coupled pump is a compact, reliable and quiet pump designed to work in a variety of applications.

The difference between the CM and the CME pump ranges is the motor. CM

pumps are fitted with mains-operated motors, whereas the motors for CME pumps have an integrated frequency converter and PID controller.

A Grundfos engineered mechanical shaft seal has been designed to eliminate industry-wide problems with shaft seals sticking where SIC-SIC seal faces are used. The solution builds on both the implementation of a rotation stop on the stationary ring and different surface finishing on both the stationary and rotating rings.

The CM and CME pumps are available in cast iron or stainless steel

• AISI 304/DIN 1.4301 stainless steel for water and non-corrosive liquids
• AISI 316/DIN 1.4401 stainless steel offers

Product photo could vary from the actual product

**Estimated delivery is 3 to 4 weeks**

Curves & Specs

Manual

## ADDITIONAL INFORMATION

| | |
|---|---|
| **Weight** | 107 lbs |
| **Dimensions** | 26 × 20 × 20 in |
| **Best Efficiency Point** | 45 GPM @ 345 FTH |
| **Horse Power** | 10 |
| **Phase** | 3 |
| **Voltage** | 208-230-460 |
| **Wetted Material** | 304SS-EPDM |

PFC eSTORE
Clear Solutions Technology Company

**www.pfcestore.com - 763-425-7890 / 800-328-2350**