


www.pfcstore.com - 763-425-7890 / 800-328-2350



GRUNDFOS CMBE TWIN BOOSTER WATER SYSTEM PUMP 22 GPM AT 41 PSI-120 VOLTS SINGLE PHASE

1.5-HP | BEP 22 GPM @ 41 PSI |
304SS | EPDM-SILCAR-SILCAR | 1.5"
FNPT



SKU: 99503861

Stock: Out of stock contact us for
lead time

Categories: [Grundfos Booster](#)
[Water Systems](#)

Model Number CMBE TWIN 1-44
Part Number 99503861

PRODUCT DESCRIPTION

The Grundfos CMBE TWIN Booster is a compact booster system for water supply. The integrated speed controller enables the CME Booster to keep constant pressure in the pipe system. A pressure sensor monitoring changes in the water consumption will signal to the speed controller to change the motor

www.pfcestore.com - 763-425-7890 / 800-328-2350

speed to adapt performance to the new state. The CME Booster is very easy to install. When the pipework has been installed, it is all a matter of plugging the unit into a socket, and the system is operational.

The CME Booster consists of:

- CME pump with integrated frequency converter
 - 5-way valve
 - expansion tank
 - pressure gauge
 - manometer

Features

- Constant pressure, integrated speed control
 - compact
- robust, stainless steel
 - easy installation
 - dry run protection

Thermal protection

CME Booster pumps require no external motor protection. The MGE motor incorporates thermal protection against slow overloading and blocking

Estimated delivery is 3 to 4 weeks

[Specs & Curve](#)

[Databook](#)

ADDITIONAL INFORMATION

Weight	240 lbs
Dimensions	26 × 26 × 26 in

www.pfcestore.com - 763-425-7890 / 800-328-2350