

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS CMBE TWIN BOOSTER WATER SYSTEM PUMP 40 GPM AT 42 PSI-120 VOLTS SINGLE PHASE

1.5-HP | BEP 40 GPM @ 42 PSI | 304SS | EPDM-SILCAR-SILCAR |1.5" FNPT



SKU: 99503873 Stock: Out of stock contact us for lead time Categories: <u>Grundfos Booster</u> <u>Water Systems</u>

Model Number CMBE TWIN 3-51 Part Number 99503873

PRODUCT DESCRIPTION

The Grundfos CMBE TWIN Booster is a compact booster system for water supply. The integrated speed controller enables the CME Booster to keep constant pressure in the pipe system. A pressure sensor monitoring changes in the water consumption will signal to the speed controller to change the motor

PFC eStore Pumps, Filters & Controls store with B2B solution



www.pfcestore.com - 763-425-7890 / 800-328-2350

speed to adapt performance to the new state. The CME Booster is very easy to install. When the pipework has been installed, it is all a matter of plugging the

unit into a socket, and the system is operational.

The CME Booster consists of:

- CME pump with integrated frequency converter
 - 5-way valve
 - expansion tank
 - pressure gauge
 - manometer

Features

- Constant pressure, integrated speed control
 - compact
 - robust, stainless steel
 - easy installation
 - dry run protection

Thermal protection

CME Booster pumps require no external motor protection. The MGE motor incorporates thermal protection against slow overloading and blocking

Estimated delivery is 3 to 4 weeks

Specs & Curve

<u>Databook</u>

ADDITIONAL INFORMATION

Weight Dimensions 240 lbs

26 × 26 × 26 in

PFC eStore Pumps, Filters & Controls store with B2B solution



www.pfcestore.com - 763-425-7890 / 800-328-2350