


www.pfcstore.com - 763-425-7890 / 800-328-2350



**GRUNDFOS CMBE TWIN  
BOOSTER WATER SYSTEM  
PUMP 40 GPM AT 42  
PSI-120 VOLTS SINGLE  
PHASE**

1.5-HP | BEP 40 GPM @ 42 PSI |  
304SS | EPDM-SILCAR-SILCAR | 1.5"  
FNPT



---

**SKU:** 99503873

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Grundfos Booster  
Water Systems](#)

**Model Number** CMBE TWIN 3-51  
**Part Number** 99503873

## PRODUCT DESCRIPTION

The Grundfos CMBE TWIN Booster is a compact booster system for water supply. The integrated speed controller enables the CME Booster to keep constant pressure in the pipe system. A pressure sensor monitoring changes in the water consumption will signal to the speed controller to change the motor

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

speed to adapt performance to the new state. The CME Booster is very easy to install. When the pipework has been installed, it is all a matter of plugging the unit into a socket, and the system is operational.

### The CME Booster consists of:

- CME pump with integrated frequency converter
  - 5-way valve
  - expansion tank
  - pressure gauge
  - manometer

### Features

- Constant pressure, integrated speed control
  - compact
  - robust, stainless steel
    - easy installation
    - dry run protection

### Thermal protection

CME Booster pumps require no external motor protection. The MGE motor incorporates thermal protection against slow overloading and blocking

**Estimated delivery is 3 to 4 weeks**

[Specs & Curve](#)

[Databook](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	240 lbs
<b>Dimensions</b>	26 × 26 × 26 in

[www.pfcestore.com](http://www.pfcestore.com) - 763-425-7890 / 800-328-2350

1.5-HP | BEP 40 GPM @ 42 PSI | 304SS | EPDM-SILCAR-SILCAR | 1.5" FNPT