

www.pfcstore.com - 763-425-7890 / 800-328-2350



GRUNDFOS CUE VARIABLE FREQUENCY DRIVE 10HP IP21 SINGLE PHASE

Horse Power 10 | Full Load Amps
30.8 | Enclosure IP21 | Single
Phase Input Volts 200-240V,
Output 3 phase 200-240 volt

**Estimated delivery is 3 to 4
weeks**



SKU: 99616617

Stock: Out of stock contact us for
lead time

Categories: [Grundfos CUE VFDs](#)

Model Number CUE 1X200-240V
IP21

Part Number 99616617

PRODUCT DESCRIPTION

CUE VFD is a complete range of external frequency converters designed for speed control of a wide range of Grundfos pumps. CUE has a built-in PI controller and offers the same

www.pfcstore.com - 763-425-7890 / 800-328-2350

functionality and user-interface as Grundfos E-pumps. CUE solutions can thus be seen as an extension to the E-pump range.

CUE VFD-solution, you will get the following benefits:

- Grundfos E-pump functionality and user-interface
 - application- and pump-family-related functions
 - increased comfort compared to fixed-speed pumps
 - very easy installation and commissioning compared to standard frequency converters
 - speed control of pumps up to 250 kW
 - speed control of pumps installed in potentially explosive environments.
- CUE offers the following inputs and output:
- RS-485 GENIbus
 - an analog 0-10 V input for external setpoint
 - an analog 0/4-20 mA input for sensor
 - four digital inputs for various functions, for instance external start/stop
 - two signal relays (C/NO/NC).

Estimated delivery is 3 to 4 weeks

Product photo could vary from the actual product

[Specs](#)

[Product Guide](#)

[Manual](#)

[Quick Guide Start Up](#)

ADDITIONAL INFORMATION

| | |
|-------------------|-----------------|
| Weight | 60 lbs |
| Dimensions | 30 × 15 × 16 in |

www.pfcstore.com - 763-425-7890 / 800-328-2350

| | |
|-----------------------|----------------------|
| Enclosure Type | <u>IP21 = NEMA 1</u> |
| Full Load Amps | <u>30.8</u> |
| Input Volts | <u>200-240</u> |

Horse Power 10 | Full Load Amps 30.8 | Enclosure IP21 | Single Phase Input Volts 200-240V, Output 3 phase 200-240 volt

Estimated delivery is 3 to 4 weeks