

#### www.pfcestore.com - 763-425-7890 / 800-328-2350



# GRUNDFOS CUE VARIABLE FREQUENCY DRIVE 15HP NEMA4X - IP66

Horse Power 3 | Full Load Amps 21 | Enclosure IP66-NEMA4X | 3PHASE - Input Volts 380-500

## Typical Delivery is 2 to 4 weeks



SKU: 99619044 Stock: Out of stock contact us for lead time Categories: Grundfos CUE VFDs Tags: <u>GRUNDFOS CUE VFD</u> Model Number CUE 3X380-500V IP66 0,55KW DC Part Number 99619044

# **PRODUCT DESCRIPTION**

Grundfos CUE VFD is a complete range of external frequency converters designed for speed control of a wide range

of Grundfos pumps. CUE has a built-in PI controller and offers the same functionality and

user-interface as Grundfos E-pumps. CUE solutions can thus be seen as an extension to the E-pump

PFC eStore

September 17, 2025



### www.pfcestore.com - 763-425-7890 / 800-328-2350

range. CUE VFD-solution, you will get the following benefits: - Grundfos E-pump functionality and user-interface - application- and pump-family-related functions - increased comfort compared to fixed-speed pumps - very easy installation and commissioning compared to standard frequency converters - speed control of pumps up to 250 kW - speed control of pumps installed in potentially explosive environments. CUE offers the following inputs and output: - RS-485 GENIbus - an analog 0-10 V input for external setpoint - an analog 0/4-20 mA input for sensor - four digital inputs for various functions, for instance external start/stop - two signal relays (C/NO/NC).

## Estimated delivery is 3 to 4 weeks

Product photo could vary from the actual product

## <u>Specs</u>

## Product Guide

<u>Manual</u>

Quick Guide Start Up

# **ADDITIONAL INFORMATION**

Weight	52 lbs
Dimensions	26 × 16 × 16 in
Enclosure Type	<u> IP66 = NEMA 4X</u>
Full Load Amps	<u>21</u>



### www.pfcestore.com - 763-425-7890 / 800-328-2350

Input Volts <u>380-500</u>