

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS CUE VARIABLE FREQUENCY DRIVE 240 VOLT 2HP NEMA4X - IP66

Horse Power 2 | Full Load Amps 7.5 | Enclosure IP66-NEMA4X | 3PHASE - Input Volts 200-240

Typical Delivery is 2 to 4 weeks



SKU: 99619020 Stock: Out of stock contact us for lead time Categories: <u>Grundfos CUE VFDs</u> Tags: <u>GRUNDFOS CUE VFD</u> Model Number CUE 3X200-240V IP66 DC Part Number 99619020

PRODUCT DESCRIPTION

Grundfos CUE VFD is a complete range of external frequency converters designed for speed control of a wide range

of Grundfos pumps. CUE has a built-in PI controller and offers the same functionality and

user-interface as Grundfos E-pumps. CUE solutions can thus be seen as an extension to the E-pump

PFC eStore

August 24, 2025



www.pfcestore.com - 763-425-7890 / 800-328-2350

range. CUE VFD-solution, you will get the following benefits: - Grundfos E-pump functionality and user-interface - application- and pump-family-related functions - increased comfort compared to fixed-speed pumps - very easy installation and commissioning compared to standard frequency converters - speed control of pumps up to 250 kW - speed control of pumps installed in potentially explosive environments. CUE offers the following inputs and output: - RS-485 GENIbus - an analog 0-10 V input for external setpoint - an analog 0/4-20 mA input for sensor - four digital inputs for various functions, for instance external start/stop - two signal relays (C/NO/NC).

Estimated delivery is 3 to 4 weeks

Product photo could vary from the actual product

<u>Specs</u>

Product Guide

<u>Manual</u>

Quick Guide Start Up

ADDITIONAL INFORMATION

Weight	21 lbs
Dimensions	24 × 14 × 14 in
Enclosure Type	<u>IP66 = NEMA 4X</u>
Full Load Amps	<u>7.5</u>



www.pfcestore.com - 763-425-7890 / 800-328-2350

Input Volts 200-240