

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS CUE VARIABLE FREQUENCY DRIVE .75HP NEMA4X - IP66

Horse Power .75 | Full Load Amps 1.6 | Enclosure IP66-NEMA4X | 3PHASE - Input Volts 380-500

Typical Delivery is 2 to 4 weeks



SKU: 99619034

Stock: Out of stock contact us for

lead time

Categories: <u>Grundfos CUE VFDs</u>
Tags: <u>GRUNDFOS CUE VFD</u>
Model Number CUE 3X380-500V

IP66 0,55KW DC

Part Number 99619034

PRODUCT DESCRIPTION

Grundfos CUE VFD is a complete range of external frequency converters designed for speed control of a wide range of Grundfos pumps. CUE has a built-in PI controller and offers the same

of Grundfos pumps. CUE has a built-in PI controller and offers the same functionality and

user-interface as Grundfos E-pumps. CUE solutions can thus be seen as an extension to the E-pump



www.pfcestore.com - 763-425-7890 / 800-328-2350

range.

CUE VFD-solution, you will get the following benefits:

- Grundfos E-pump functionality and user-interface
 - application- and pump-family-related functions
- increased comfort compared to fixed-speed pumps
- very easy installation and commissioning compared to standard frequency converters
 - speed control of pumps up to 250 kW
 - speed control of pumps installed in potentially explosive environments.

 CUE offers the following inputs and output:
 - RS-485 GENIbus
 - an analog 0-10 V input for external setpoint
 - an analog 0/4-20 mA input for sensor
 - four digital inputs for various functions, for instance external start/stop
 two signal relays (C/NO/NC).

Estimated delivery is 3 to 4 weeks

Product photo could vary from the actual product

Specs

Product Guide

<u>Manual</u>

Quick Guide Start Up

ADDITIONAL INFORMATION

Weight 25 lbs

Dimensions $24 \times 14 \times 14$ in

Enclosure Type IP66 = NEMA 4X

Full Load Amps <u>1.6</u>



www.pfcestore.com - 763-425-7890 / 800-328-2350

Input Volts <u>380-500</u>