

www.pfcstore.com - 763-425-7890 / 800-328-2350



GRUNDFOS DDA-C 7.5-16 PUMPS WITH POLYPRO & EPDM

Max 2 GPH, 232 PSI | FCM Control |
Wetted Material Polypro, EPDM,
Ceramic | Install Kit Not Included |
Drop in replacement for the
97722425

Contact us for lead time



SKU: 93064934

Stock: Out of stock contact us for
lead time

Categories: [Grundfos DDA Pumps](#)

Model Number DDA 7.5-16 FCM-
C-PP/E/C-F-31U7U7BG

Part Number 93064934

PRODUCT DESCRIPTION

The SMART Digital DDA-C is a compact positive-displacement diaphragm dosing pump with variable-speed drive (stepper motor) and intelligent control electronics with minimum energy consumption.

www.pfcestore.com - 763-425-7890 / 800-328-2350

The SMART Digital Dosing series operates at full stroke length to ensure optimum accuracy, priming and suction, even for high-viscosity or degassing liquids.

Depending on the set capacity, the duration of the discharge stroke varies, ensuring an optimal, uniform and continuous discharge flow.

The click-stop mounting plate allows installation in three different positions without using any additional accessories.

The control cube can be easily turned to the front, left or right position.

The click wheel and the multi-coloured backlit graphic plain-text LC display enable intuitive commissioning and operation.

The control elements are protected by a transparent cover.
The DDA-C has built-in connectivity that allows easy

[Grundfos DDA Spec & Curve](#)

[Grundfos Controller Functions](#)

[Grundfos DDA Databook](#)

[Grundfos Chemical Chart](#)

ADDITIONAL INFORMATION

Weight	10 lbs
Dimensions	17 × 13 × 14 in
Connections	<u>1/4"OD-3/8"OD-1/2"OD</u>
Controller Type	<u>FCM</u>
Max GPH	<u>2</u>

www.pfcstore.com - 763-425-7890 / 800-328-2350

Max PSI	<u>232</u>
Motor Type	<u>Stepper Motor</u>
Wetted Material	<u>POLYPRO-EPDM-CERAMIC</u>

Max 2 GPH, 232 PSI | FCM Control | Wetted Material Polypro, EPDM, Ceramic |
Install Kit Not Included | Drop in replacement for the 97722425

Contact us for lead time