

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS DDA-C 7.5-16 PUMPS WITH PVC & PTFE

Max 2 GPH, 145 PSI | FCM Control | Wetted Material PVC, PTFE, Ceramic | Install Kit Included | Drop in replacement for the 97722442

Contact us for lead time



SKU: 93064963 Stock: Out of stock contact us for lead time Categories: <u>Grundfos DDA Pumps</u> Tags: <u>GRUNDFOS DDA PUMPS</u> Model Number DDA 7.5-16 FCM-C-PVC/T/C-F-311003BG Part Number 93064963

PRODUCT DESCRIPTION

The SMART Digital DDA-C is a compact positive-displacement diaphragm dosing pump with variable-speed drive (stepper motor) and intelligent control electronics with minimum energy consumption.

The SMART Digital Dosing series operates at full stroke length to ensure



www.pfcestore.com - 763-425-7890 / 800-328-2350

optimum accuracy, priming and suction, even for high-viscosity or degassing liquids.

Depending on the set capacity, the duration of the discharge stroke varies, ensuring an optimal, uniform and continuous discharge flow.

The click-stop mounting plate allows installation in three different positions without using any additional accessories.

The control cube can be easily turned to the front, left or right position.

The click wheel and the multi-coloured backlit graphic plain-text LC display enable intuitive commissioning and operation.

> The control elements are protected by a transparent cover. The DDA-C has built-in connectivity that allows easy

Grundfos DDA Spec & Curve

Grundfos Controller Functions

Grundfos DDA Databook

Grundfos Chemical Chart

ADDITIONAL INFORMATION

| Weight | 10 lbs |
|-----------------|-----------------------------|
| Dimensions | 17 × 13 × 14 in |
| Connections | <u>1/4"OD-3/8"OD-1/2"OD</u> |
| Controller Type | <u>FCM</u> |
| Max GPH | <u>2</u> |
| Max PSI | <u>150</u> |



www.pfcestore.com - 763-425-7890 / 800-328-2350

Motor TypeStepper MotorWetted MaterialPVC-PTFE-CERAMIC