

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS DDA-C 7.5-16 PUMPS WITH PVDF & EPDM

Max 2 GPH, 232 PSI | FCM Control | Wetted Material PVDF, EPDM, Ceramic | Install Kit Not Included | Drop in replacement for the 97722445

Contact us for lead time



SKU: 93064966

Stock: Out of stock contact us for

lead time

Categories: Grundfos DDA Pumps
Tags: GRUNDFOS DDA PUMPS
Model Number DDA 7.5-16 FCMC-PV/E/C-F-31U7U7BG

Part Number 93064966

PRODUCT DESCRIPTION

The SMART Digital DDA-C is a compact positive-displacement diaphragm dosing pump with variable-speed drive (stepper motor) and intelligent control electronics with minimum energy consumption.



www.pfcestore.com - 763-425-7890 / 800-328-2350

The SMART Digital Dosing series operates at full stroke length to ensure optimum accuracy, priming and suction, even for high-viscosity or degassing liquids.

Depending on the set capacity, the duration of the discharge stroke varies, ensuring an optimal, uniform and continuous discharge flow.

The click-stop mounting plate allows installation in three different positions without using any additional accessories.

The control cube can be easily turned to the front, left or right position.

The click wheel and the multi-coloured backlit graphic plain-text LC display enable intuitive commissioning and operation.

The control elements are protected by a transparent cover.

The DDA-C has built-in connectivity that allows easy

Grundfos DDA Spec & Curve

Grundfos Controller Functions

Grundfos DDA Databook

Grundfos Chemical Chart

ADDITIONAL INFORMATION

Weight 10 lbs

Dimensions $17 \times 13 \times 14 \text{ in}$

Connections <u>1/4"OD-3/8"OD-1/2"OD</u>

Controller Type <u>FCM</u>

Max GPH <u>2</u>



Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

Max PSI <u>232</u>

Motor Type <u>Stepper Motor</u>

Wetted Material PVDF-EPDM-CERAMIC