

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

## GRUNDFOS MTR 5-8/8 COOLANT PUMP THREE PHASE-NEMA VERSION



Material: Cast Iron-304SS-Viton | Best Efficiency Point 25 GPM @ 219 FTH |

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

Motor 3/60/208-230-460 Volt, 3 HP | Pump Depth 13" | Nema Version

**SKU:** 96515436 | **Stock:** Out of stock contact us for lead time | **Categories:** [Grundfos](#)  
[Coolant/Condensate Pumps](#) |

**Model Number** MTR 5-8/8 A-WB-A-HUUV  
**Part Number** 96515436



## PRODUCT DESCRIPTION

Grundfos MTR pumps are vertical multi and single stage centrifugal pumps designed for pumping of cooling lubricants for machine tools, condensate transfer and similar applications. All models are designed to be mounted on top of tanks with the pump stack immersed in the pumped liquid.

Heavy-duty, multistage pumps that offer a unique hydraulic design and an unequaled performance range. Cartridge shaft seal and a universal flange system enables rapid replacement and ensures reliability. Special priming screw in allows for liquid levels down to 1 inch (25 mm) and protects against dry running

Product photo could vary from the actual product

**Estimated Delivery is 3 to 4 weeks**

[MTR Specs](#)

[MTR Manual](#)

www.pfcstore.com - 763-425-7890 / 800-328-2350

ADDITIONAL INFORMATION

Weight	80 lbs
Dimensions	40 × 18 × 18 in
Best Efficiency Point	<u>25 GPM @ 219 FTH</u>
Connections	<u>1.25" NPT</u>
Horse Power	<u>3</u>
Length	<u>Pump Depth 13"</u>
Phase	<u>3</u>
Voltage	<u>208-230-460</u>
Wetted Material	<u>CAST IRON-304SS-VITON</u>