

www.pfcestore.com - 763-425-7890 / 800-328-2350



**GRUNDFOS NK  
012-070/6.97  
CENTRIFUGAL PUMP, 2 X  
1.25**

Long Coupled Centrifugal Pump

160GPM @ 165FTH - Best  
Efficiency Point

Cast Iron, Stainless Impeller, Buna  
Silcar / Silcar

3/60/230-460V, 3600RPM TEFC,  
15HP

Typical Lead Time 6 to 8 weeks



---

**SKU:** 93063283

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Grundfos NK Pumps](#)

**Model Number** NK 012-070/6.97  
AA1G6S3ESBQQENX2

**Part Number** 93063283

www.pfcstore.com - 763-425-7890 / 800-328-2350

## PRODUCT DESCRIPTION

### Grundfos NK Series Long Coupled Pumps

- **Standard-Compliant Reliability:** Engineered to **ISO 5199** and **EN 733** standards to deliver exact rated performance and dimensional compatibility.
- **Streamlined Maintenance:** The smart **back pull-out design** allows you to service the motor, coupling, bearing bracket, and impeller without disturbing your existing pipework or pump housing.
- **Industrial-Grade Build:** Equipped with a **horizontal shaft , axial suction , radial discharge ,** and standard **ASME B16.5 Class 125 flanges .**
  - **Durable Sealing & Power:** Features a rugged **DIN EN 12756 unbalanced rubber bellows seal** paired with a heavy-duty, **fan-cooled asynchronous motor .**
- **Ready to Install:** Both pump and foot-mounted motor are securely integrated on a **shared base frame** for fast alignment and installation

[Data Book](#)

## ADDITIONAL INFORMATION

|                              |                                   |
|------------------------------|-----------------------------------|
| <b>Weight</b>                | 193 lbs                           |
| <b>Dimensions</b>            | 52 × 24 × 24 in                   |
| <b>Best Efficiency Point</b> | <a href="#">160 GPM @ 165 FTH</a> |

Long Coupled Centrifugal Pump

**www.pfcstore.com - 763-425-7890 / 800-328-2350**

160GPM @ 165FTH - Best Efficiency Point

Cast Iron, Stainless Impeller, Buna Silcar / Silcar

3/60/230-460V, 3600RPM TEFC, 15HP

Typical Lead Time 6 to 8 weeks