

www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS NK 015-070/5.04 CENTRIFUGAL PUMP, 2.5 X 1.5

Long Coupled Centrifugal Pump

220GPM @ 85FTH - Best Efficiency
Point

Cast Iron, Stainless Impeller, Buna
Silcar / Silcar

3/60/230-460V, 3600RPM TEFC,
7.5HP

Typical Lead Time 6 to 8 weeks



SKU: 93063339

Stock: Out of stock contact us for
lead time

Categories: [Grundfos NK Pumps](#)

Model Number NK 015-070/5.04
AA1G6S3ESBQQELX2

Part Number 93063339

www.pfcstore.com - 763-425-7890 / 800-328-2350

PRODUCT DESCRIPTION

Grundfos NK Series Long Coupled Pumps

- **Standard-Compliant Reliability:** Engineered to **ISO 5199** and **EN 733** standards to deliver exact rated performance and dimensional compatibility.
- **Streamlined Maintenance:** The smart **back pull-out design** allows you to service the motor, coupling, bearing bracket, and impeller without disturbing your existing pipework or pump housing.
- **Industrial-Grade Build:** Equipped with a **horizontal shaft , axial suction , radial discharge ,** and standard **ASME B16.5 Class 125 flanges .**
 - **Durable Sealing & Power:** Features a rugged **DIN EN 12756 unbalanced rubber bellows seal** paired with a heavy-duty, **fan-cooled asynchronous motor .**
- **Ready to Install:** Both pump and foot-mounted motor are securely integrated on a **shared base frame** for fast alignment and installation

[Data Book](#)

ADDITIONAL INFORMATION

Weight	215 lbs
Dimensions	60 × 26 × 26 in
Best Efficiency Point	220 GPM @ 80 FTH

Long Coupled Centrifugal Pump

www.pfcestore.com - 763-425-7890 / 800-328-2350

220GPM @ 85FTH - Best Efficiency Point

Cast Iron, Stainless Impeller, Buna Silcar / Silcar

3/60/230-460V, 3600RPM TEFC, 7.5HP

Typical Lead Time 6 to 8 weeks