

www.pfcstore.com - 763-425-7890 / 800-328-2350

GRUNDFOS - PACO LC CENTRIFUGAL PUMP 20709, 15HP



CAST IRON/STAINLESS IMPELLER | BUNA MECH SEAL | 15HP TEFC PRE EFF,
3600RPM, 3/60/208/230-460 VOLTS | 2.5 X 2 - IMPELLER 6.29" |
CONNECTIONS- NPS | BEP 250 GPM @ 150 FTH

SKU: 98872684 | **Stock:** Out of stock contact us for lead time | **Categories:** [Paco LC & NBS Pumps](#) |

Tags: [GRUNDFOS/PACO PUMPS](#)

Model Number 10 20709 130008 2821P
Part Number 98872684



PRODUCT DESCRIPTION

LC Close Coupled End Suction Pump

- Close Coupled Design – compact construction and space savings
 - Registered Fit – eliminates machine tolerance stacking
- Permanent Rigid Alignment – eliminates need for alignments &

www.pfcestore.com - 763-425-7890 / 800-328-2350

prolongs seal and bearing lifeIndustry-Standard JM Frame Motor –
simplifies motor replacement

- Type LCV Pump – offers vertical mounting for increasing space savings
 - No Grouting Requirements – easy installationNSF61/50 Certifications
(available upon request)
- Francis Vane Impeller Design – increases efficiency and reduces NPSH
required
- Trimmed and Balanced Impellers – customization, reduced noise and
vibration, & prolonged seal and bearing life

Applications

- HVAC
- Plumbing
- Pressure Boosting
 - Industrial
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 3 to 4 weeks

[SPEC & CURVES](#)

[PARTS GUIDE](#)

ADDITIONAL INFORMATION

Weight	293 lbs
Dimensions	31 × 14 × 14 in
Best Efficiency Point	250 GPM @ 150 FTH
Connections	2.5 X 2
Hertz	60

www.pfcestore.com - 763-425-7890 / 800-328-2350

Horse Power	<u>15</u>
Motor Type	<u>TEFC</u>
Phase	<u>3</u>
RPM	<u>3600</u>
Voltage	<u>230-460</u>
Wetted Material	<u>CAST IRON-BUNA</u>