

www.pfcstore.com - 763-425-7890 / 800-328-2350



## GRUNDFOS - PACO LC CENTRIFUGAL PUMP 20709, 25HP

CAST IRON/STAINLESS IMPELLER |  
BUNA MECH SEAL | 25 HP TEFC  
PRE EFF, 3600RPM,  
3/60/208/230-460 VOLTS | 2.5 X 2 -  
IMPELLER 6.98" | CONNECTIONS-  
NPS | BEP 350 GPM @ 175 FTH



---

**SKU:** 98872687

**Stock:** Out of stock contact us for  
lead time

**Categories:** [Paco LC & NBS  
Pumps](#)

**Tags:** [GRUNDFOS/PACO PUMPS](#)

**Model Number** 10 20709 140008  
2871P

**Part Number** 98872687

## PRODUCT DESCRIPTION

### LC Close Coupled End Suction Pump

- Close Coupled Design – compact construction and space savings
- Registered Fit – eliminates machine tolerance stacking

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

- Permanent Rigid Alignment – eliminates need for alignments & prolongs seal and bearing life
- Industry-Standard JM Frame Motor – simplifies motor replacement
- Type LCV Pump – offers vertical mounting for increasing space savings
- No Grouting Requirements – easy installation
- NSF61/50 Certifications (available upon request)
- Francis Vane Impeller Design – increases efficiency and reduces NPSH required
- Trimmed and Balanced Impellers – customization, reduced noise and vibration, & prolonged seal and bearing life

## Applications

- HVAC
- Plumbing
- Pressure Boosting
  - Industrial
  - Water Utility
  - Wastewater
  - Agriculture

**Estimated delivery is 3 to 4 weeks**

[SPEC & CURVES](#)

[PARTS GUIDE](#)

## ADDITIONAL INFORMATION

<b>Weight</b>	441 lbs
<b>Dimensions</b>	38 × 22 × 22 in
<b>Best Efficiency Point</b>	<a href="#"><u>350 GPM @ 175 FTH</u></a>
<b>Connections</b>	<a href="#"><u>2.5 X 2</u></a>

[www.pfcstore.com](http://www.pfcstore.com) - 763-425-7890 / 800-328-2350

<b>Hertz</b>	<u>60</u>
<b>Horse Power</b>	<u>20</u>
<b>Motor Type</b>	<u>TEFC</u>
<b>Phase</b>	<u>3</u>
<b>RPM</b>	<u>3600</u>
<b>Voltage</b>	<u>230-460</u>
<b>Wetted Material</b>	<u>CAST IRON-BUNA</u>