

www.pfcestore.com - 763-425-7890 / 800-328-2350



# GRUNDFOS - PACO LC CENTRIFUGAL PUMP 20709, 7.5HP

CAST IRON/STAINLESS IMPELLER |
BUNA MECH SEAL | 7.5HP TEFC
PRE EFF, 3600RPM,
3/60/208/230-460 VOLTS | 2.5 X 2 IMPELLER 5.09" | CONNECTIONSNPS | BEP 150 GPM @ 200 FTH



**SKU:** 98873593

Stock: Out of stock contact us for

lead time

Categories: Paco LC & NBS

<u>Pumps</u>

Tags: <u>GRUNDFOS/PACO PUMPS</u> **Model Number** 10 15959 130008

2741P

**Part Number** 98873593

### **PRODUCT DESCRIPTION**

## **LC Close Coupled End Suction Pump**

Close Coupled Design – compact construction and space savings
 Registered Fit – eliminates machine tolerance stacking



#### www.pfcestore.com - 763-425-7890 / 800-328-2350

- Permanent Rigid Alignment eliminates need for alignments & prolongs seal and bearing lifeIndustry-Standard JM Frame Motor – simplifies motor replacement
- Type LCV Pump offers vertical mounting for increasing space savings
  - No Grouting Requirements easy installationNSF61/50 Certifications (available upon request)
- Francis Vane Impeller Design increases efficiency and reduces NPSH required
- Trimmed and Balanced Impellers customization, reduced noise and vibration, & prolonged seal and bearing life

### **Applications**

- HVAC
- Plumbing
- Pressure Boosting
  - Industrial
  - Water Utility
  - Wastewater
  - Agriculture

# Estimated delivery is 3 to 4 weeks

**SPEC & CURVES** 

PARTS GUIDE

### **ADDITIONAL INFORMATION**

Weight 177 lbs

**Dimensions**  $31 \times 14 \times 14$  in

**Best Efficiency Point** 150 GPM @ 100 FTH

Connections 2.5 X 2



#### Clear Solutions Technology Company

#### www.pfcestore.com - 763-425-7890 / 800-328-2350

Hertz 60

Horse Power 7.5

Motor Type <u>TEFC</u>

Phase 3

**RPM** 3600

**Voltage** <u>230-460</u>

Wetted Material CAST IRON-BUNA