

www.pfcstore.com - 763-425-7890 / 800-328-2350



GRUNDFOS - PACO LC CENTRIFUGAL PUMP 20709, 7.5HP

CAST IRON/STAINLESS IMPELLER |
BUNA MECH SEAL | 7.5HP TEFC
PRE EFF, 3600RPM,
3/60/208/230-460 VOLTS | 2.5 X 2 -
IMPELLER 5.09" | CONNECTIONS-
NPS | BEP 150 GPM @ 200 FTH



SKU: 98873593

Stock: Out of stock contact us for
lead time

Categories: [Paco LC & NBS
Pumps](#)

Model Number 10 15959 130008
2741P

Part Number 98873593

PRODUCT DESCRIPTION

LC Close Coupled End Suction Pump

- Close Coupled Design – compact construction and space savings
- Registered Fit – eliminates machine tolerance stacking

www.pfcstore.com - 763-425-7890 / 800-328-2350

- Permanent Rigid Alignment – eliminates need for alignments & prolongs seal and bearing life
- Industry-Standard JM Frame Motor – simplifies motor replacement
- Type LCV Pump – offers vertical mounting for increasing space savings
- No Grouting Requirements – easy installation
- NSF61/50 Certifications (available upon request)
- Francis Vane Impeller Design – increases efficiency and reduces NPSH required
- Trimmed and Balanced Impellers – customization, reduced noise and vibration, & prolonged seal and bearing life

Applications

- HVAC
- Plumbing
- Pressure Boosting
 - Industrial
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 3 to 4 weeks

[SPEC & CURVES](#)

[PARTS GUIDE](#)

ADDITIONAL INFORMATION

Weight	177 lbs
Dimensions	31 × 14 × 14 in
Best Efficiency Point	<u>150 GPM @ 100 FTH</u>
Connections	<u>2.5 X 2</u>

www.pfcstore.com - 763-425-7890 / 800-328-2350

Hertz	<u>60</u>
Horse Power	<u>7.5</u>
Motor Type	<u>TEFC</u>
Phase	<u>3</u>
RPM	<u>3600</u>
Voltage	<u>230-460</u>
Wetted Material	<u>CAST IRON-BUNA</u>

CAST IRON/STAINLESS IMPELLER | BUNA MECH SEAL | 7.5HP TEFC PRE EFF,
3600RPM, 3/60/208/230-460 VOLTS | 2.5 X 2 - IMPELLER 5.09" | CONNECTIONS-
NPS | BEP 150 GPM @ 200 FTH