


#### www.pfcestore.com - 763-425-7890 / 800-328-2350



## GRUNDFOS - PACO LF CENTRIFUGAL PUMP 12709 7.5HP

CAST IRON/STAINLESS IMPELLER | BUNA MECH SEAL |7. 5HP TEFC PRE EFF, 3600RPM, 3/60/208/230-460 VOLTS | 1.5 X 1.25 - IMPELLER 5.83" | CONNECTIONS- NPS | BEP 100 GPM @ 125 FTH



SKU: 99119305 Stock: Out of stock contact us for lead time Categories: <u>Paco LF Pumps</u>

#### **Model Number**

11-12709-133P08-2741P BPRNC2S101AA **Part Number** 99119305

# **PRODUCT DESCRIPTION**

## LF Frame mounted centrifugal Pump

• Machined Mounting Surfaces and Fabricated Base Plate - aid in

PFC eStore Pumps, Filters & Controls store with B2B solution



#### www.pfcestore.com - 763-425-7890 / 800-328-2350

alignment

- Choice of Motor Enclosures increases flexibility of design
- Large Seal Chamber allows various seal configurations and customization
- Integrally Cast Diffuser Vane reduces turbulence and need for suction guides
- Francis Vane Impeller Design increases efficiency and reduces NPSH required
  - Bronze Case Wear Rings extend pump life and increase efficiency
- Trimmed and Balanced Impellers customization, reduced noise and vibration, & prolonged seal and bearing life

## **Applications**

- HVAC
- Plumbing
- Pressure Boosting
  - Industrial
  - Water Utility
  - Wastewater
  - Agriculture

## Estimated delivery is 3 to 4 weeks

### SPEC & CURVES

PARTS GUIDE

LF Manual

## **ADDITIONAL INFORMATION**

Weight

266 lbs

**Dimensions** 

42 × 24 × 24 in

Connections

<u>1.5 X 1.25</u>

PFC eStore Pumps, Filters & Controls store with B2B solution



# www.pfcestore.com - 763-425-7890 / 800-328-2350

<b>Best Efficiency Point</b>	<u>100 GPM @ 125 FTH</u>
Hertz	<u>60</u>
Horse Power	<u>7.5</u>
Motor Type	TEFC
Phase	<u>3</u>
RPM	<u>3600</u>
Voltage	<u>230-460</u>
Wetted Material	CAST IRON-BUNA