


www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS - PACO LF CENTRIFUGAL PUMP 15705 5 HP

Contact us for pricing & lead time

CAST IRON/STAINLESS IMPELLER | BUNA MECH SEAL |5HP TEFC PRE EFF, 3600RPM, 3/60/208/230-460 VOLTS | 2 X 1.50 - IMPELLER 5.00" | CONNECTIONS- NPS | BEP 80 GPM @ 90 FTH



SKU: 92585429 Stock: Out of stock contact us for lead time

Categories: <u>Paco LF Pumps</u> Tags: <u>GRUNDFOS/P</u>ACO PUMPS

Model Number 11-15705-133P08-2681P BPRNC2S101AA Part Number 92585429

PRODUCT DESCRIPTION

LF Frame mounted centrifugal Pump

PFC eStore Pumps, Filters & Controls store with B2B

June 7, 2025

Page: 1

solution



www.pfcestore.com - 763-425-7890 / 800-328-2350

- Machined Mounting Surfaces and Fabricated Base Plate aid in alignment
 - Choice of Motor Enclosures increases flexibility of design
 - Large Seal Chamber allows various seal configurations and customization
- Integrally Cast Diffuser Vane reduces turbulence and need for suction guides
- Francis Vane Impeller Design increases efficiency and reduces NPSH required
 - Bronze Case Wear Rings extend pump life and increase efficiency
- Trimmed and Balanced Impellers customization, reduced noise and vibration, & prolonged seal and bearing life

Applications

- HVAC
- Plumbing
- Pressure Boosting
 - Industrial
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 3 to 4 weeks

SPEC & CURVES

PARTS GUIDE

LF Manual

ADDITIONAL INFORMATION

Weight Dimensions 227 lbs

42 × 24 × 24 in

PFC eStore Pumps, Filters & Controls store with B2B solution



Clear Solutions Technology Company

www.pfcestore.com - 763-425-7890 / 800-328-2350

Connections	<u>2 X 1.5</u>
Best Efficiency Point	<u>80 GPM @ 87 FTH</u>
Hertz	<u>60</u>
Horse Power	<u>5</u>
Motor Type	<u>TEFC</u>
Phase	<u>3</u>
RPM	<u>3600</u>
Voltage	230-460
Wetted Material	CAST IRON-BUNA