


www.pfcstore.com - 763-425-7890 / 800-328-2350



GRUNDFOS - PACO LF CENTRIFUGAL PUMP 15705 5 HP

CAST IRON/STAINLESS IMPELLER |
BUNA MECH SEAL | 5HP TEFC PRE
EFF, 3600RPM, 3/60/208/230-460
VOLTS | 2 X 1.50 - IMPELLER 5.00"
| CONNECTIONS- NPS | BEP 80 GPM
@ 90 FTH



SKU: 92585429

Stock: Out of stock contact us for
lead time

Categories: [Paco LF Pumps](#)

Model Number

11-15705-133P08-2681P
BPRNC2S101AA

Part Number 92585429

PRODUCT DESCRIPTION

LF Frame mounted centrifugal Pump

- Machined Mounting Surfaces and Fabricated Base Plate – aid in alignment

www.pfcstore.com - 763-425-7890 / 800-328-2350

- Choice of Motor Enclosures – increases flexibility of design
- Large Seal Chamber – allows various seal configurations and customization
- Integrally Cast Diffuser Vane – reduces turbulence and need for suction guides
- Francis Vane Impeller Design – increases efficiency and reduces NPSH required
- Bronze Case Wear Rings – extend pump life and increase efficiency
- Trimmed and Balanced Impellers – customization, reduced noise and vibration, & prolonged seal and bearing life

Applications

- HVAC
- Plumbing
- Pressure Boosting
 - Industrial
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 3 to 4 weeks

[SPEC & CURVES](#)

[PARTS GUIDE](#)

[LF Manual](#)

ADDITIONAL INFORMATION

Weight	227 lbs
Dimensions	42 × 24 × 24 in
Connections	<u>2 X 1.5</u>

www.pfcstore.com - 763-425-7890 / 800-328-2350

Best Efficiency Point	<u>80 GPM @ 87 FTH</u>
Hertz	<u>60</u>
Horse Power	<u>5</u>
Motor Type	<u>TEFC</u>
Phase	<u>3</u>
RPM	<u>3600</u>
Voltage	<u>230-460</u>
Wetted Material	<u>CAST IRON-BUNA</u>

CAST IRON/STAINLESS IMPELLER | BUNA MECH SEAL | 5HP TEFC PRE EFF,
3600RPM, 3/60/208/230-460 VOLTS | 2 X 1.50 - IMPELLER 5.00" |
CONNECTIONS- NPS | BEP 80 GPM @ 90 FTH