


www.pfcestore.com - 763-425-7890 / 800-328-2350



GRUNDFOS - PACO LF CENTRIFUGAL PUMP 15951 20 HP

CAST IRON/STAINLESS IMPELLER | BUNA MECH SEAL |20HP TEFC PRE EFF, 3600RPM, 3/60/208/230-460 VOLTS | 2 X 1.50 - IMPELLER 8.95" | CONNECTIONS- NPS | BEP 180 GPM @ 250 FTH



SKU: 92916058 Stock: Out of stock contact us for lead time Categories: Paco LF Pumps

> Model Number 11-15951-133P08-2851P BPRNC2S101AA Part Number 92916058

PRODUCT DESCRIPTION

LF Frame mounted centrifugal Pump

 Machined Mounting Surfaces and Fabricated Base Plate – aid in alignment

Page: 1

PFC eStore Pumps, Filters & Controls store with B2B solution



www.pfcestore.com - 763-425-7890 / 800-328-2350

- Choice of Motor Enclosures increases flexibility of design
- Large Seal Chamber allows various seal configurations and customization
- Integrally Cast Diffuser Vane reduces turbulence and need for suction guides
- Francis Vane Impeller Design increases efficiency and reduces NPSH required
 - Bronze Case Wear Rings extend pump life and increase efficiency
- Trimmed and Balanced Impellers customization, reduced noise and vibration, & prolonged seal and bearing life

Applications

- HVAC
- Plumbing
- Pressure Boosting
 - Industrial
 - Water Utility
 - Wastewater
 - Agriculture

Estimated delivery is 3 to 4 weeks

SPEC & CURVES

PARTS GUIDE

LF Manual

ADDITIONAL INFORMATION

Weight Dimensions Connections 448 lbs 42 × 24 × 24 in

ections <u>2 X 1.5</u>



www.pfcestore.com - 763-425-7890 / 800-328-2350

Best Efficiency Point	<u> 180 GPM @ 250 FTH</u>
Hertz	<u>60</u>
Horse Power	<u>20</u>
Motor Type	<u>TEFC</u>
Phase	<u>3</u>
RPM	<u>3600</u>
Voltage	<u>230-460</u>
Wetted Material	CAST IRON-BUNA